

# **GWE-1.2-096096ATMN-01**

## **Ver:10**

### **Graphic Color PMOLED Display**

<b>GW-</b>	<b>Global Wisdom Display</b>
<b>E</b>	<b>OLED Module</b>
<b>1.2</b>	<b>1.2" Diagonal</b>
<b>096096</b>	<b>96 x 96 DOT</b>
<b>A-</b>	<b>Categories of models</b>
<b>T</b>	<b>Color OLED's Graphic</b>
<b>M-</b>	<b>Full Color</b>
<b>N-</b>	<b>Without TP</b>
<b>01</b>	<b>Detail Number</b>
	<b>RoHS Compliant</b>

**Global Wisdom Display Co., Ltd**

[www.globalwisdomdisplay.com](http://www.globalwisdomdisplay.com) [www.gwdeshop.com](http://www.gwdeshop.com)

Business services: [GWDsales@globalwisdomdisplay.com](mailto:GWDsales@globalwisdomdisplay.com)

Technical service: [GWDtech@globalwisdomdisplay.com](mailto:GWDtech@globalwisdomdisplay.com)

*Never stop production, stock for sale, support small quantity, full of wide products range*

## Revision History

Revision	Date	Originator	Detail	Remarks
10	2018.04.02	Mary.liu	Initial Release	

## 1. Module General Parameter

Features	Details	Unit
Screen Size (Diagonal)	1.2"	
Panel type	PMOLED	
Display Color	Full	
Resolution	96 x96 Dots	Pixels
View Direction (human Eye)	Full view	Best Image
Module Outline	25.8 (H) x 30.1 (V) x 1.227 (T)	mm
Active Area	20.135(H) x 20.14(V)	mm
Dot Size	210 (H) x 210 (V)	um
Pixel Arrangement	-	
Polarizer Surface Treatment	Anti-Glare	
Interface	8/16-bit 8080-series Parallel Interface Serial Peripheral Interface	
Driver IC	SSD1351Z	-
With or Without Touch Panel	Without	
Operating Temperature	-40~70	°C
Storage Temperature	-40~85	°C
Weight	TBD	g
Recommend connector	-	

